INDEX

A

ABT, ARTHUR F., SUSANNE VON SCHUCHING AND JOSEPH H. ROE. Connective Tissue Studies. III. Ascorbic acid, collagen and hexosamine distribution and histology of connective tissue in scars produced in guinea pigs on various vitamin C dietary levels following wounding by abdominal incision, 427.

ACKERMANN, I. M. See Ullrey, D. E., 187.

ADAIR, JOHN. See Stout, F. M., 421.

Alfalfa meal, effect on toxicity of non-ionic surface-active agents in rat, 484.

—, unidentified water-soluble factor in, effect on vitamin A utilization, 313.

ALLISON, J. B. See Howe, E. E., 385.

Amino acid(s), chemical pathology of acute deficiencies, III. Morphologic and biochemical changes in rats fed valine- or lysine-devoid diets, 463.

— —, effect on excretion of various proteins by rat, 438.

— —, essential, diets lacking, survival time, biochemical changes, chicks, 226.

— —, essential, effect of non-specific nutrients on absorption and catabolism of by a bacterium, 401.

— —, FAO reference standard, efficacy of for growth of weanling rat, 385.

— —, growth promotion by invertible D-form, 31.

— — imbalance in diets containing fibrin, 141.

— maintenance requirement of adult rooster, 135.

— — supplementation of wheat flour, 176.

— —, survival time of chick following imbalance in diet, 226.

ANDERSON, JOSEPH T. See Keys, Ancel, 257.

ANDREWS, JOHN S., WENDELL H. GRIFFITH, JAMES F. MEAD AND ROBERT A. STEIN. Toxicity of air-oxidized soybean oil, 199.

ARATA, DOROTHY. See Carroll, Catherine, 502.

Arginine requirement of chick, 129.

— -sparing value of related compounds and requirement of chick, 129.

—, use of DL-form in growth studies, 31.

Ascorbic acid level, observed in pantothenic acid-deficient young guinea pig, 348.

— — concentration in scar tissue in guinea pigs, 427.

B

BABA, TSUNEO. See Sidransky, Herschel, 463.

BABAYAN, VIGEN K. See Kaunitz, Hans, 521.

BABCOCK, M. J., MIRIAM BRUSH AND EDNA SOSTMAN. Evaluation of vitamin B_6 nutrition, 369.

BAUMANN, C. A. See Gaylor, J. L., 293; see Hardy, R. W. F., 438.

BEATON, G. H., D. M. HELLEBUST, W. PAUL AND A. M. WRIGHT. The effect of scurvy on thyroid activity in the guinea pig, 321.

BEHAR, MOISES. See Bressani, Ricardo, 176.

BERG, CLARENCE P. See Wachter, James P., 31.

BIERI, J. G., G. M. BRIGGS, C. J. POLLARD AND M. R. SPIVEY FOX. Normal growth and development of female chickens without dietary vitamin E or other antioxidants, 47.

BIERI, J. G. See Coggeshall, R. E., 272.

Biotin, effect of varying intakes on protein utilization by the rat, 156, 163.

BIXLER, DAVID, AND JOSEPH C. MUHLER. Retention of fluoride in soft tissues of chickens receiving different fat diets, 26.

BIZZOCCO, DOMINICK. See Lester, David, 278.

Blood pressure in vitamin B_6-deficient rat during pregnancy, 453.

Bone density, related to weight reduction in rat, 353.

Bonemeal determination of phosphorus availability by isotope dilution, 58.

BRADLEY, W. B. See Calhoun, W. K., 337.

BRESSANI, RICARDO, DOROTHY L. WILSON, MOISES BEHAR AND NEVIN S. SCRIMSHAW. Supplementation of cereal proteins with amino acids. III. Effect of amino acid supplementation of wheat flour as measured by nitrogen retention of young children, 176.

BRIGGS, G. M. See Bieri, J. G., 47.

BRODY, SAMUEL, biography, 3.

BROWN, ANN M. See Young, Charlotte M., 391.

BROWN, MYRTLE L., AND RUTH L. PIKE. Blood pressure and thiocyanate space in the vitamin B_6-deficient rat during pregnancy, 453.

BROWN, R. R. See Self, H. L., 21.

BRUSH, MIRIAM. See Babcock, M. J., 369.

BUBL, EDWARD C., AND JOSEPH S. BUTTS. The growth, breeding and longevity of rats fed irradiated or non-irradiated pork, 211.

BUCCINO, ROBERT. See Lester, David, 278.

BURGER, R. E. See Fedde, M. R., 447.

BURR, WILLIAM W. JR., JAMES C. MCPHERSON AND HERBERT C. TIDWELL. Secretion of labeled blood lipids into the intestine, 171.

BUTTS, JOSEPH S. See Bubl, Edward C., 211.

C

Calcium and phosphorus balance studies in weight reduction of rat, 353.

— and phosphorus requirements of dog, 241.

— and strontium, effect on rat of lactose stimulation of gastrointestinal absorption, 377.

—, dietary, effect on apparent absorbability of beef tallow, 447.

—, effect on magnesium requirement, 103.

— retention, effect of limited water intake on, 528.

— phytate, determination of phosphorus availability by isotope dilution, 58.

CALHOUN, W. K., F. N. HEPBURN AND W. B. BRADLEY. The availability of lysine in wheat, flour, bread and gluten, 337.

CAMPBELL, J. A. See Morrison, A. B., 112.

Carbohydrate, dietary, effect of type on serum cholesterol level in man, 257.
Caries, dental and growth of rats fed whole-milk powders with increasing lysine deterioration, 533.
CARROLL, CATHERINE, DOROTHY ARATA AND DENA C. CEDERQUIST. Effect of threonine deficiency on changes in enzyme activity and liver fat deposition with time, 502.
Casein, apparent absorption of dietary zinc with diets containing, 53.
— diet for rat and mouse to compare protein requirement, 307.
CEDERQUIST, DENA C. See Carroll, Catherine, 502.
CHESLOCK, KATHERINE E., AND MARGARET T. MCCULLY. Response of human beings to a low vitamin B_6 diet, 507.
Cholesterol, adrenal, reduction by dietary diethylstilbestrol, 72.
—, and sodium glycocholate, effect on EFA-deficiency symptoms, 497.
—, blood level depressed by nicotinic acid and nicotinamide, 293.
—, dietary, effect on essential fatty acid deficiency, 411.
—, serum, effect of type of carbohydrate on, 257.
—, serum levels, effect of feeding dietary fats to cholesterol-fed chicks, 119.
Cholic acid, effect on EFA-deficiency symptoms, growth and body-fat deposition, 497.
Choline, deficiency, reduction of adrenal cholesterol by dietary diethylstilbestrol, 72.
—, effect of varying intakes on protein utilization by the rat, 156, 163.
—, requirement in insulin polyphagia, 91.
COGGESHALL, R. E., AND J. G. BIERI. Pathology of the brain in single and mixed deficiencies of vitamins A and E in the chick, 272.
COLEMAN, R. G., G. M. WINDRUM AND E. M. HUTTON. Studies on the toxicity of *Indigofera endecaphylla*. III. Separation of toxic fractions from seed and herbage, 267.
Collagen and hexosamine of scar tissue in guinea pigs, 427.
Copper, and iron, effect of excess dietary zinc on, in rat, 514.
Cottonseed meal, studies on in relation to FAO amino acid reference standard, 385.
— —, dietary, autoxidized, effect on nutritional properties of fresh fats, 521.
— —, dietary, effect on fluoride retention, chicks, 26.
COUCH, J. R. See Davies, R. E., 193.
COX, D. H., G. K. DAVIS, R. L. SHIRLEY AND F. H. JACK. Influence of excess dietary molybdenum on rat and calf liver and heart enzymes, 63.
COX, DENNIS H., AND DOROTHY L. HARRIS. Effect of excess dietary zinc on iron and copper in the rat, 514.
CRAIN, RICHARD C. See Herting, David C., 247.
CRAMPTON, E. W., R. K. SHAW, V. G. MACKAY AND DONNA C. SCHAD. Comparative feeding value of common edible fats as measured by the growth of prematurely weaned pups, guinea pigs and swine, 81.
CREMER, H. D., H. J. KINKEL AND J. MAURON. Dental caries and growth in rats fed whole-milk powders with increasing lysine deterioration, 533.
Cystine, breed difference in amount of methionine converted, in chicks, 42.

D

DAVIES, R. E., B. L. REID, A. A. KURNICK AND J. R. COUCH. The effect of sulfate on molybdenum toxicity in the chick, 193.
DAVIS, G. K. See Cox, D. H., 63.
DE ANGELI, ELIZABETH. See Jones, James H., 537.
Dental caries, effect of high sucrose diets with various levels of pyridoxine, 69.
DENTON, C. A. See Miller, E. C., 42.
Dicoumarol, vitamin K, potency and analogues, 361.
Diet(s), deficient, effect of progesterone on maintained pregnancy, 10.
—, low vitamin B_6, response of humans to, 507.
— type and blood lipids in man, 257.
—, wheat basal, essential amino acid pattern, 176.
Diethylstilbestrol, concentration needed to reduce liver lipide, 72.
DONIS, OLGA. See Griminger, Paul, 361.
DRYDEN, LESLIE P., GEORGE H. RIEDEL AND ARTHUR M. HARTMAN. Unidentified nutrients required by the hyperthyroid rat, 547.

E

EDWARDS, H. M., JR., H. L. FULLER AND C. W. HESS. The effect of enviromnent on chick growth, 302.
Egg white, apparent absorption of dietary zinc with diets containing, 53.
ENGEL, R. W. See Ku, Edmond C.-c., 401.
EMPEY, ELIZABETH L. See Young, Charlotte M., 353.
ELLIS, WILLIAM W. See Miller, Glenn J., 72.
Environment, effect on chick growth, 302.
Enzyme(s) activity, changes in effected by threonine deficiency, 502.
—, liver and heart, influence of excess molybdenum, 63.
ERSHOFF, BENJAMIN H., AND H. J. HERNANDEZ. An unidentified water-soluble factor in alfalfa which improves utilization of vitamin A, 313.
ERSHOFF, BENJAMIN H. Beneficial effects of alfalfa meal and other bulk-containing or bulk-forming materials on the toxicity of non-ionic surface-active agents in the rat, 484.
Escherichia coli, medium for study of nitrogen balance, 401.
Ethionine, effect on neonatally castrated male rats, 459.

F

FAO "reference protein" compared with essential amino acid pattern of wheat basal diet, 176.
— amino acid reference standard, efficacy for growth of weanling rat, 385.
Fat(s): calorie ratio, effect on weight gain and feed efficiency in rat, 252.
—, dietary, factors affecting absorbability in the chick, 447.
—, dietary level related to calcium and phosphorus requirement of dog, 241.

—, edible, comparative feeding value of, pups, guinea pigs, swine, 81.
—, fresh, nutritional properties when added to diets containing autoxidized cottonseed oil, 521.
— hepatic, choline and insulin polyphagia, 91.
—, influence on serum cholesterol levels in cholesterol-fed chicks, 119.
—, liver, deposition and changes in enzyme activity with time, effect of threonine deficiency on, 502.
— liver levels elevated by nicotinamide, depressed by isonicotinic acid, 293.
— pad thickness measured during stepwise weight reduction, 391.
—, unsaturated, growth depression of rats partially alleviated by, 547.
—, various, effect on fluoride retention in soft tissues, chicks, 26.
Fatty acid(s), essential, acceleration of deficiency by dietary cholesterol, 411.
— —, essential, effect of cholesterol, sodium glycocholate and cholic acid on, 497.
— —, essential, measurement of requirement by trienoic:tetraenoic acids in tissue lipids, 405.
— —, saturated and unsaturated, effect on dietary lipogranuloma, 247.
Fedde, M. R., P. E. Waibel and R. E. Burger. Factors affecting the absorbability of certain dietary fats in the chick, 447.
Fibrin, cause of amino acid imbalance, 141.
Fisher, H. See Leveille, Gilbert A., 135.
Flavin adenine dinucleotide, influence of vitamin B_{12} on content, distribution and *in vivo* synthesis, 283.
Fluoride retention in soft tissues, influence of various fats, chicks, 26.
Folic acid, effect of varying intakes on protein. Utilization by the rat, 156, 163.
Forbes, R. M., and Martha Yohe. Zinc requirement and balance studies with the rat, 53.
Fox, M. R. Spivey. See Bieri, J. G., 47.
Fuller, H. L. See Edwards, H. M., Jr., 302.

G

Gambal, David, and F. W. Quackenbush. Effects of cholesterol and other substances on essential faty acid deficiencies, 497.
Gaylor, J. L., R. W. F. Hardy and C. A. Baumann. Effects of nicotinic acid and related compounds on sterol metabolism in the chick and rat, 293.
Gehring, Barbara A. See Young, Charlotte M., 391.
Gilfillan, E. W. See Howe, E. E., 385.
Glutamic-oxalacetic transaminase, a measure of state of vitamin B_6 nutrition in man, 369.
Goettsch, Marianne. Comparative protein requirement of the rat and mouse for growth, reproduction and lactation using casein diets, 307.
Gotsis, Anna. See Hegsted, D. M., 119.
Grande, Francisco. See Keys, Ancel, 257.
Griffith, Wendell H. See Andrews, John S., 199.
Griminger, Paul, and Olga Donis. Potency of vitamin K_1 and two analogues in counteracting the effects of dicumarol and sulfaquinoxaline in the chick, 361.
Growth, chick, effect of environment on, 302.
— promotion by invertible D-amino acids in diet, 31.
Grunt, Jerome A., James T. Higgins, Jr. and Charles B. Hammond. Effects of ethionine on neonatally castrated male rats, 459.
Guide for contributors to the Journal of Nutrition, 127.

H

Haldi, John. See Wynn, Winfrey, 69.
Halverson, A. W., and K. J. Monty. An effect of dietary sulfate on selenium poisoning in the rat, 100.
Hammond, Charles B. See Grunt, Jerome A., 459.
Hardy, R. W. F. See Gaylor, J. L., 293.
Hardy, R. W. F., V. O. Tantengco and C. A. Baumann. Effects of amino acids on the excretion of various proteins by the rat, 438.
Harper, A. E. See Kumta, U. S., 141; see Seidel, John C., 147.
Harris, Dorothy L. See Cox, Dennis H., 514.
Harris, Philip L. See Herting, David C., 247.
Hartman, Arthur M. See Dryden, Leslie P., 547.
Hartroft, W. Stanley. See Meyer, John S., 91.
Hays, R. L. See Kendall, K. A., 10.
Hegsted, D. M., Anna Gotsis and F. J. Stare. The influence of dietary fats on serum cholesterol levels in cholesterol-fed chicks, 119.
Hellebust, D. M. See Beaton, G. H., 321.
Hepburn, F. N. See Calhoun, W. K., 337.
Hernandez, H. J. See Ershoff, Benjamin H., 313.
Herting, David C., Philip L. Harris and Richard Crain. Effect of saturated and unsaturated fatty acids on dietary lipogranuloma, 247.
Hess, C. W. See Edwards, H. M., Jr., 302.
Higgins, James T. Jr., see Grunt, Jermoe A., 459.
Hill, F. W. See Renner, Ruth, 219.
Histidine, use of DL-form in growth studies, 31.
Hoefer, J. A. See Ullrey, D. E., 187.
Hoefer, J. A. See Ritchie, H. D., 491.
Holman, Ralph T., and James J. Peifer. Acceleration of essential fatty acid deficiency by dietary cholesterol, 411.
Holman, Ralph T. The ratio of trienoic:tetraenoic acids in tissue lipids as a measure of essential fatty acid requirement, 405.
Howe, E. E., E. W. Gilfillan and J. B. Allison. Efficacy of the FAO amino acid reference standard for growth of the weanling rat, 385.
Hutton, E. M. See Coleman, R. G., 267.
Hyperthyroid rat, unidentified nutrients required by, 547.

I

Indigofera endecaphylla, separation of toxic fractions from seed and herbage, 267.
Inositol, effect of varying intakes on protein utilization by the rat, 156, 163.
Iodine, radioactive, used to study thyroid activity in guinea pig, 321.
Iron and copper, effect of excess dietary zinc on, in rat, 514.

—, orally administered, requirement of baby pig, 187.
Irradiation of pork, effect on growth, breeding and longevity of rat, 211.
Isoleucine requirement for maintenance in adult rooster, 135.
—, use of DL-form in growth studies, 31.

J

JACK, F. H. See COX, D. H., 63.
JENKINS, K. J., AND P. H. PHILLIPS. The mineral requirements of the dog. II. The relation of calcium, phosphorus and fat levels to minimal calcium and phosphorus requirements, 241.
JENKINS, K. J., AND P. H. PHILLIPS. The mineral requirements of the dog. I. Phosphorus requirement and availability, 235.
JOHNSON, R. E. See Kaunitz, Hans, 521.
JONES, JAMES H., AND ELIZABETH DE ANGELI. Thiamine deficiency and the *in vivo* oxidation of lactate and pyruvate labeled with carbon^{14} 537.

K

KAUNITZ, HANS, C. A. SLANETZ, R. E. JOHNSON AND VIGEN K. BABAYAN. Nutritional properties of fresh fats added to diets containing autoxidized cottonseed oil, 521.
KENDALL, K. A., AND R. L. HAYS. Maintained pregnancy in the rat as associated with progesterone administration and multiple-nutrient deficiency, 10.
KEYS, ANCEL, JOSEPH T. ANDERSON AND FRANCISCO GRANDE. Diet-type (fats constant) and blood lipids in man, 257.
KING, KENDALL W. See Ku, Edmond C.-c., 401.
KINKEL, H. J. See Cremer, H. D., 533.
KONISHI, FRANK, AND C. M. MCCAY. The effect of limited water intake on nutrient utilization, 528.
KU, EDMOND C.-C., KENDALL W. KING AND R. W. ENGEL. The effect of non-specific nutrients on absorption and catabolism of essential amino acids by a bacterium, 401.
KUMATA, U. S., AND A. E. HARPER. Amino acid balance and imbalance. III. Quantitative studies of imbalances in diets containing fibrin, 141.
KURNICK, A. A. See Davies, R. E., 193.

L

Lactate, C^{14}-labeled, *in vivo* oxidation in thiamine deficiency, 537.
Lactation, growth, reproduction of rat and mouse, comparative protein requirement, 307.
Lactose relation of concentration to Sr^{85} and Ca^{45} absorption, 377.
LAW, MARY LOUISE. See Wynn, Winfrey, 69.
LECCE, JAMES G., AND GENNARD MATRONE. Porcine neonatal nutrition: the effect of diet on blood serum proteins and performance of the baby pig, 13.
LENGEMANN, F. W. See Wasserman, R. H., 377.
LESTER, DAVID, ROBERT BUCCINO AND DOMINICK BIZZOCCO. The vitamin C status of alcoholics, 278.
Leucine, requirement for maintenance in adult rooster, 135.
—, use of DL-form in growth studies, 31.
LEVEILLE, GILBERT A., AND H. FISHER. Amino acid requirement for maintenance in the adult rooster. III. The requirements for leucine, isoleucine, valine and threonine, with reference also to the utilization of the D-isomers of valine, threonine and isoleucine, 135.
Lipids, blood and diet-type in man, 257.
—, blood, labeled, secretion into intestine, 171.
Lipogranuloma, dietary, effect of saturated and unsaturated fatty acids on, 247.
LOFGREEN, C. P. The availability of the phosphorus in dicalcium phosphate, bonemeal, soft phosphate and calcium phytate for mature wethers, 58.
LUECKE, R. W. See Ritchie, H. D., 491.
LUECKE, R. W. See Ullrey, D. E., 187.
LUSHBOUGH, C. H., AND B. S. SCHWEIGERT. The effect of diet on growth rate and feed efficiency in the normal rat, 252.
Lysine, availability of in wheat, flour, bread and gluten, 337.
— deterioration, effect on dental caries and growth in rats, 533.
— -devoid diet, morphologic and biochemical changes effected by, 463.
—, studies on in relation to FAO amino acid reference standard, 385.
—, use of DL-form in growth studies, 31.

M

MACKAY, V. G. See Crampton, E. W., 81.
Magnesium, deficiency, effect of variable calcium and phosphorus supplementation in, 103.
—, deficiency, symptoms of in guinea pig, 103.
—, requirement of guinea pigs and rats, 103.
MARFATIA, URMILA, D. V. REGE, H. P. TIPNIS AND A. SREENIVASAN. The influence of vitamin B_{12} on the content, distribution and *in vivo* synthesis of thiamine pyrophosphate, flavin adenine dinucleotide and pyridine nucleotides in rat liver, 283.
MARFATIA, URMILA, AND A. SREENIVASAN. Effects of suboptimal and optimal intakes of B vitamins on protein utilization by the growing rat from diets containing single and mixed proteins, 163.
MARFATIA, URMILA, AND A. SREENIVASAN. Effects of marginal and optimal intakes of B vitamins on protein utilization by the growing rat from varied dietaries, 156.
MATRONE, GENNARD. See Lecce, James G., 13.
MAURON, J. See Cremer, H. D., 533.
MCCAY, C. M. See Konishi, Frank, 528.
MCCULLY, MARGARET T. See Cheslock, Katherine E., 507.
MCPHERSON, JAMES C. See Burr, William W. Jr., 171.
MEAD, JAMES F. See Andrews, John S., 199.
Menadione, feed requirement, plasma prothrombin level, 361.
Metabolism, sterol, effect of nicotinic acid on, 293.
Methionine, breed difference in amount converted to cystine, chicks, 42.
—, use of DL-form in growth studies, 31.

MEYER, JOHN S., AND W. STANLEY HARTROFT. Choline hepatic fat and insulin polyphagia, 91.
MILLER, E. C., JEAN S. O'BARR AND C. A. DENTON. The metabolism of methionine by Single Comb White Leghorn and Black Australorp chicks, 42.
MILLER, E. R. See Ullrey, D. E., 187.
MILLER, E. R. See Ritchie, H. D., 491.
MILLER, GLENN J., AND WILLIAM W. ELLIS. Further studies of the lipotropism of diethylstilbestrol in choline-deficient weanling albino rats, 72.
Mineral(s), calcium and phosphorus requirements related to calcium, phosphorus and fat levels, 241.
—, requirements of dog, phosphorus, 235, 241.
Mink, "cotton-fur" abnormality, nature and cause, 421.
Molybdenum, excess, influence on liver and heart enzymes, 63.
— toxicity in chick, effect of sulfate on, 193.
MONTY, K. J. See Halverson, A. W., 100.
MORGAN, AGNES FAY. A biographical sketch of Samuel Brody (1890–1956) with portrait, 3.
MORRIS, BETTE M. See Young, Charlotte M., 391.
MORRIS, E. R. See O'Dell, B. L., 103.
MORRISON, A. B., AND J. A. CAMPBELL. Evaluation of protein in foods. V. Factors influencing the protein efficiency ratio of foods, 112.
MORRISON, A. B. See Sarett, Herbert P., 37.
MUHLER, JOSEPH C. See Bixler, David, 26.
Muscular dystrophy, criteria for studying in vitamin E depletion, 147.

N

Neomycin effect of Sr^{85} absorption, 377.
Nicotinamide excretion of tryptophan following administration of, 21.
Nicotinic acid, effect of varying intakes on protein utilization by the rat, 156, 163.
— —, effect on sterol metabolism, 293.
Nitrogen retention by children receiving cereal-protein supplemented diet, 176.
— retention during stepwise weight reduction, 391.
Nutrient utilization, effect of limited water intake on, 528.

O

O'BARR, JEAN S. See Miller, E. C., 42.
Obesity, experimental and weight reduction in rats, procedures and balance studies, 353.
—, stepwise weight reduction in young women, clinical and metabolic responses, 391.
O'DELL, B. L., E. R. MORRIS AND W. O. REGAN. Magnesium requirement of guinea pigs and rats. Effect of calcium and phosphorus and symptoms of magnesium deficiency, 103.
O'DELL, B. L. See Savage, J. E., 129.
OLDFIELD, J. E. See Stout, F. M., 421.
Oleic acid, dietary, effect on fluoride retention, chicks, 26.
OUSTERHOUT, L. E. Survival time and biochemical changes in chicks fed diets lacking different essential amino acids, 226.

P

Pantothenic acid deficiency, effect of cold on weight, food intake and acetylating activity during, 77.
— —, effect of administering apart from diet, 37.
— —, deficiency in young guinea pig, 348.
— —, varying intakes, effect on protein utilization by the rat, 156, 163.
PAUL, W. See Beaton, G. H., 321.
Pathology, chemical, with feeding rats valine- or lysine-devoid diet, 463.
PFEIFER, JAMES J. see Holman, Ralph T., 411.
Phenylalanine, use of DL-form in growth studies, 31.
PHILLIPS, P. H. See Jenkins, K. J., 235, 241.
Phosphate, dicalcium, determination of phosphorus availability by isotope dilution, 58.
—, soft, determination of phosphorus availability by isotope dilution, 58.
Phosphorus and calcium balance studies in weight reduction of rat, 353.
—, calcium requirements of dog, 241.
—, determination of availability by isotope dilution method, 58.
—, effect on magnesium requirement, 103.
—, requirement and availability in the dog, 235, 241.
— retention during stepwise weight reduction, 391.
— retention, effect of limited water intake on, 528.
PIKE, RUTH L. See Brown, Myrtle L., 453.
POLLARD, C. J. See Bieri, J. G., 47.
Pork, irradiated, effect on growth, breeding and longevity of rat, 211.
PRICE, J. M. See Self, H. L., 21.
Progesterone, pregnancy and multiple-nutrient deficiency, 10.
Protein(s), blood serum patterns in unfed and mature pigs, 13.
— caloric:ratio, effect on weight gain and feed efficiency in rat, 252.
—, cereal, as supplement to amino acids, 176.
—, comparative requirement of rat and mouse, using casein, 307.
—, dietary, level related to weight gain and caloric feed efficiency in rat, 252.
— efficiency ratio, 112.
— evaluation in food, 112.
—, various, effect of amino acids on excretion, 438.
PUDELKEWICZ, CECELIA AND CHARLOTTE RODERUCK. Pantothenic acid deficiency in the young guinea pig, 348.
Pyridoxine, effect of administering apart from diet, 37.
—, failure of to reduce cariogenic properties of diet, 69.
— requirement for young women of college age, 507.
— supplementation of swine gestation diet, 491.
—, varying intakes, effect on protein utilization by the rat, 156, 163.
Pyridine nucleotide(s), influence of vitamin B_{12} on content, distribution and *in vivo* synthesis, 283.
— —, liver levels elevated by nicotinic acid and nicotinamide, 293.

Pyruvate, C^{14}-labeled, *in vivo* oxidation in thiamine deficiency, 537.

Q

QUACKENBUSH, F. W. See Gambal, David, 497.

R

Radioactivity, labeled blood lipids, secretion into intestine, 171.
Radioisotope study of gastiointestinal absorption of calcium and strontium, 377.
— test of oxidation of C^{14}-labeled lactate and pyruvate in thiamine deficiency, 537.
REGAN, W. O. See O'Dell, B. L., 103.
REGE, D. V. See Marfatia, Urmila, 283.
REID, MARY ELIZABETH AND LUDWIG VON SALLMANN. Nutritional studies with the guinea pig. VI. Tryptophan (with ample dietary niacin), 329.
REID, B. L. See Davies, R. E., 193.
RENNER, RUTH AND F. W. HILL. Studies of the effect of heat treatment on the metabolizable energy value of soybeans and extracted soybean flakes for the chick, 219.
Riboflavin, effect of administering apart from diet, 37.
—, varying intakes, effect on protein utilization by the rat, 156, 163.
RIEDEL, GEORGE H. See Dryden, Leslie P., 547.
RITCHIE, H. D., E. R. MILLER, D. E. ULLREY, J. A. HOEFER AND R. W. LUECKE. Supplementation of the swine gestation diet with pyridoxine, 491.
RODERUCK, CHARLOTTE. See Pudelkewicz, Cecelia, 348.
ROE, JOSEPH H. See Abt, Arthur F., 427.

S

SARETT, HERBERT P. AND A. B. MORRISON. The utilization of some B vitamins administered to the rat apart from the diet, 37.
SAVAGE, J. E. AND B. L. O'DELL. Arginine requirements of the chick and the arginine-sparing value of related compounds, 129.
SCHAD, DONNA C. See Crampton, E. W., 81.
SCHMIDT, D. A. See Ullrey, D. E., 187.
SCHWEIGERT, B. S. See Lushbough, C. H., 252.
SCRIMSHAW, NEVIN S. See Bressani, Ricardo, 176.
Scurvy, effect on thyroid activity in guinea pig, 321.
SEIDEL, JOHN C. AND ALFRED E. HARPER. Some observations in vitamin E deficiency in the guinea pig, 147.
Selenium poisoning, effect of dietary sulfate, rat, 100.
SELF, H. L., R. R. BROWN AND J. M. PRICE. Quantitative studies on the metabolites of tryptophan in the urine of swine, 21.
SERRAON, VIRGINIA U. See Young, Charlotte M., 353.
SHAW, R. K. See Crampton, E. W., 81.
SHIRLEY, R. L. See Cox, D. H., 63.
SIDRANSKY, HERSCHEL AND TSUNEO BABA. Chemical pathology of acute amino acid deficiencies. III. Morphologic and biochemical changes in young rats fed valine- or lysine-devoid diets, 463.
SLANETZ, C. A. See Kaunitz, Hans, 521.
Sodium glycocholate, and cholesterol, effect on EFA-deficiency symptoms, 497.
SOSTMAN, EDNA. See Babcock, M. J., 369.
Soybean oil, toxicity of air-oxidized, 199.
Soybeans, effect of heat treatment on metabolizable energy value in chick, 219.
Soy protein, apparent absorption of dietary zinc with diets containing, 53.
SREENIVASAN, A. See Marfatia, Urmila, 156, 163, 283.
STARE, F. J. See Hegsted, D. M., 119.
Stearic acid, dietary, effect on fluoride retention in chick, 260.
STEIN, ROBERT A. See Andrews, John S., 199.
STOUT, F. M., J. E. OLDFIELD AND JOHN ADAIR. Nature and cause of the "cotton-fur" abnormality in mink, 421.
Stress, effect of cold in pantothenic acid deficiency, 77.
Strontium and calcium, effect on rat of stimulation of gastrointestinal absorption of, 377.
Sulfaquinoxaline, vitamin K_1 potency and analogues, 361.
Sulfate, used to reduce molybdenum toxicity in chick, 193.

T

TANTENGCO, V. O. See Hardy, R. W. F., 438.
Thiamine deficiency, *in vivo* oxidation of C^{14}-labeled lactate and pyruvate, 537.
—, effect of administering apart from diet, 37.
— pyrophosphate, effect of vitamin B_{12} on content, distribution and *in vivo* synthesis, 283.
—, varying intakes, effect on protein utilization by the rat, 156, 163.
Thiocyanate space in vitamin B_6-deficient rat during pregnancy, 453.
Threonine deficiency, effect on changes in enzyme activity and liver fat deposition, 502.
— requirement for maintenance in adult rooster, 135.
—, use of DL-form in growth studies, 31.
THOMPSON, O. A. See Ullrey, D. E., 187.
Thyroid activity, influence of scurvy on, 321.
TIPNIS, H. P. See Marfatia, Urmila, 283.
Toxicity, molybdenum in chick, effect of sulfate on, 193.
— of air-oxidized soybean oil, 199.
— of *Indigofera endecaphylla*, separation of toxic fractions from seed and herbage, 267.
TIDWELL, HERBERT C. See Burr, William W. Jr., 171.
Tetraenoic acid, decrease with accelerated EFA deficiency, 411.
—, increase with accelerated EFA deficiency, 411.
Trienoic acid, ratio to tetranoic acid in tissue lipids as measure of EFA requirement, 405.
Tryptophan, metabolites, urinary excretion by growing swine, 21.
— requirement for eye greater than for maximum growth, 329.
— requirement of guinea pig, 329.
—, studies on in relation to FAO amino acid reference standard, 385.
—, use of DL-form in growth studies, 31.
—, with ample dietary niacin, guinea pig, 329.

TURK, DON. See Young, Charlotte M., 353.
Tyrosine metabolism, thyroid hormone precursor, scurvy, 321.

U

ULLREY, D. E., E. R. MILLER, O. A. THOMPSON, I. M. ACKERMANN, D. A. SCHMIDT, J. A. HOEFER AND R. W. LUECKE. The requirement of the baby pig for orally administered iron, 187.
ULLREY, D. E. See Ritchie, H. D., 491.

V

Valine-devoid diet, morphologic and biochemical changes effected by, in young rats, 463.
Valine requirement for maintenance in adult rooster, 135.
—, use of DL-form in growth studies, 31.
VAUGHAN, DAVID A. AND LUCILE N. VAUGHAN. The effects of cold on the weight, food intake and acetylating activity of pantothenic acid-deficient rats, 77.
VAUGHAN, LUCILE N. See Vaughan, David A., 77.
Vitamin(s) A and E deficiency and brain pathology in chick, 272.
— -utilization related to unidentified water-soluble factor in alfalfa, 313.
Vitamin B_6, bacterial synthesis in intestine of swine, 491.
— — -deficient rat, blood pressure and thiocyanate space during pregnancy, 453.
— —, diet low in, and response of human beings, 507.
— — nutrition, evaluation, in man, 369.
— — requirement of man, 369.
— B_{12}, effect of varying intakes on protein utilization by the rat, 156, 163.
— —, effect on TPP, FAD and PN in rat liver, 283.
— C deficiency in alcoholic patients, 278.
— — -dietary levels following wounding in guinea pigs, 427.
— — status of alcoholics, 278.
— E, effect of dietary torula yeast on muscular dystrophy in deficiency of, 147.
— — -free diets, growth of chicks fed, 47.
— — and A deficiency and brain pathology in chick, 272.
Vitamin K_1 potency and analogues in counteracting effect of dicoumarol and sulfaquinoxaline in chick, 361.
VON SALLMANN, LUDWIG. See Reid, Mary Elizabeth, 329.
VON SCHUCHING, SUSANNE. See Abt, Arthur F. 427.

W

WACHTER, JAMES P. AND CLARENCE P. BERG. Growth promotion by invertible D-amino acids in diets containing extraneous (poorly invertible) D-amino acids, 31.
WAIBEL, P. E. See Fedde, M. R., 447.
WASSERMAN, R. H. AND F. W. LENGEMANN. Further observations on lactose stimulation of the gastrointestinal absorption of calcium and strontium in the rat, 377.
Water, limited intake, effect on nutrient utilization, 528.
Weight reduction of obese young women by stages, clinical and metabolic responses, 391.
WILSON, DOROTHY L. See Bressani, Ricardo, 176.
WINDRUM, G. M. See Coleman, R. G., 267.
WRIGHT, A. M. See Beaton, G. H., 321.
WYNN, WINFREY, JOHN HALDI AND MARY LOUISE LAW. Dental caries in the albino rat fed high sucrose diets of relatively high and low pyridoxine content, 69.

X

Xanthurenic acid excretion by humans following low-vitamin B_6 diet, 507.

Y

YOHE, MARTHA. See Forbes, R. M., 53.
YOUNG, CHARLOTTE M., ANN M. BROWN, BARBARA A. GEHRING AND BETTE M. MORRIS. Stepwise weight reduction in obese young women: clinical and metabolic responses, 391.
YOUNG, CHARLOTTE M., ELIZABETH L. EMPEY, DON TURK AND VIRGINIA U. SERRAON. Experimental obesity and weight reduction in young female rats; development of procedures and calcium and phosphorus balance studies, 353.

Z

Zinc, excess dietary, effect on iron and copper in rat, 514.
—, requirement with various proteins, 53.